

```

<!-- Variablendeklaration: Notwendig nur für Variablen, die über die Steuerung geschrieben werden
-->
<!-- Variable declaration: necessary only for the variables to be written on the PLC -->
<!DOCTYPE html>
<!-- AWP_In_Variable Name='AWPstart' -->
<!-- AWP_In_Variable Name='AWPstop' -->
<!-- AWP_In_Variable Name='AWPdirection' -->
<html>
<head>
<meta charset="utf-8">
<title>S7-1200 DEMO</title>

<!-- Um jQuery nutzen zu können, wird das Framework wie jede andere Javascript-Datei in die Homepage
eingebunden. -->
<!-- Das Integrieren erfolgt im Header. Z.B. mit -->
<!-- script src="http://code.jquery.com/jquery-1.7.1.min.js" type="text/javascript" erfolgt der
Zugriff auf die Bibliothek. -->
<!-- For using of jQuery the framework will be embedded in the home page as same as each other
javascript file. -->
<!-- The integration will be in the header. Example with -->
<!-- script src="http://code.jquery.com/jquery-1.7.1.min.js" type="text/javascript" will be an access
to the library. -->
<script src="http://code.jquery.com/jquery-1.7.1.min.js" type="text/javascript"></script>
<!-- Zum Verketteten von Anweisungen dient der Punkt-Operator -->
<!-- The interlink of instructions uses the point operator -->
<script src="http://code.jquery.com/mobile/1.0a3/jquery.mobile-1.0a3.min.js"
type="text/javascript"></script>
<script src="/phonegap.js" type="text/javascript"></script>
</head>
<body>
<div data-role="page" id="page">
  <div data-role="header">
    <h1> S7-1200 - User Defined Web Page</h1>
  </div>
  <div data-role="content">
    <p><big>Main Menu</big></p>
    <ul data-role="listview">

<!-- Link für Login -->
<!-- Link for login -->
      <li><a href="#Login">Login</a></li>
    </ul>
    <ul data-role="listview">

<!-- Link für Control -->
<!-- Link for control -->
      <li><a href="#Control">Control</a></li>
    </ul>
  </div>
  <div id="footer">
    <h4>Siemens AG</h4>
  </div>
</div>
</div>
</div>
<div data-role="page" id="Login">
  <div data-role="header">
    <h1>Login</h1>
  </div>

<!-- HTML-Code für das separate Login -->
<!-- HTML code for the separate login -->
  <form name="loginForm" method="post" action="/FormLogin">

<!-- Eingabe für Benutzername -->
<!-- Enter for user name -->
  <div data-role="fieldcontain">
    <label for="textinput"><big>User Name:</big></label>

```

```

    <input type="text" name="Login" id="textinput" value="admin" />
</div>
<!-- Eingabe für Passwort -->
<!-- Enter for password -->
    <div data-role="fieldcontain">
        <label for="passwordinput2"><big>Password:</big></label>
        <input type="password" name="Password" id="passwordinput2" value="" />
    </div>
</form>
<button onclick="document.getElementsByName('loginForm')[0].submit()">Login</button>
</div>
<div id="footer">
    <h4>Siemens AG</h4>
</div>
</div>
</div>
</div>
<div data-role="page" id="Control">
    <div data-role="header">
        <h1>Control</h1>
    </div>
    <p>
    <p>
        <td align="center" height="25%" width="15%">
        <tp> <big>Start    Value = := "AWPstart": </big></tp>
    <p>
        <td align="center" height="25%" width="15%">
        &nbsp;</td></p>

<!-- Schaltfläche für Start -->
<!-- Button for start -->
    <form method="" action="">
        <input value="Start" type="submit">
        <input name="'AWPstart'" value="1" type="hidden">
        <input name="'AWPstop'" value="0" type="hidden">
    </form>

<!-- Schaltfläche für Stop -->
<!-- Button for stop -->
    <form method="" action="">
        <input value="Stop" type="submit">
        <input name="'AWPstart'" value="0" type="hidden">
        <input name="'AWPstop'" value="1" type="hidden">
    </form>
    <div class="ui-grid-a">
        <div class="ui-block-a">

<!-- Schaltfläche für Richtungswechsel links -->
<!-- Button for change of direction left -->
    <form method="post" action="">
        <input value="Turn left" type="submit">
        <input name="'AWPdirection'" value="1" type="hidden">
    </form>
</div>

<!-- Schaltfläche für Richtungswechsel rechts -->
<!-- Button for change of direction right -->
    <div class="ui-block-b">
        <form method="post" action="">
        <input value="Turn right" type="submit">
        <input name="'AWPdirection'" value="0" type="hidden">
        </form>
    </div>
</div>
<p>
<td align="center" height="25%" width="15%">
<tp> <big>Direction    Value = := "AWPdirection":</big> </tp>

```

```
</td>
</p>
</div>
</div>
</body>
</html>
```